

1948-49
(ML)

File No 41-48
Sl. Nos. ~~42, 93~~
48, 49, 92, 93

Previous References
ML 38-47 (78, 79)

Later References
~~ML 41-48 (92, 93)~~
JTB 10-51- (43 44)

Sernal Nos ~~Two~~ Four

part B for May '49

Subject

Tender for improving the storm water
drain behind Amble Ammal Bandits
Choultry ~~at~~ Mysore

To The Commr, C I T B, Mysore
" Comptroller to Govt
" M. Comr, Mysore City (through
" Chief Engr for Rds & Bldgs in ^{The Presdt} Mysore)
G O No L 12821-2/A 4-5-49

Sanctions the proposal with certain
observations

KX

3811 J388

Letter no D2 c 61/48-49 d

14-11-48 from the chairman,

cf. mpr
Mysore Trust no and re the

acceptance of the tender of

an shirupal for Rs 41,976/-

for improving the storm water

drain behind Amble Annah's

parents choultry, Mysore

Letter no - D2 c 61/48 d 14-11-

of the chairman addressed to

the Home Minister in the matter

1) orders of the Home Minister

with reference

(2) T 77

15/9/

2) submitted with reference to para 1
supra if approved. This will be
sent to the Chief Engineer for RTOs
for his opinion as to whether the
tender in question may be accepted

Ma 6/12 3) For perusal with reference
to the orders at para 1 supra

4) A- will be attended to after the
file is received back with orders re 12/4/49
Rev secy, 7 Aug 6/12/49

3881

5) Refce para 1 supra

Quinest
for Home

8/12/48
L

12/12

14/12


15/12/48

U O 132/15-12-48

7) Forwarded with compliments to
the Chief Engineer for Roads and
Buildings for ~~for~~ favour of remarks
with reference to para 2 supra

Im-Date
Post (Supt)
to
6/12/48

3-7 for Check
B-
17/12



By order

for ~~for~~ Secretary

U O No 311 dated 1-2-1949

Returned with compliments

8 If tenders are called for ~~and~~ fresh more favourable
quotations may be obtained

9 The estimate for Rs 30,000/- may however be approved

Secretary to Government
Revenue Department
General

Approved and signed by
Chief Engineer for Roads
and Buildings

NG

10 Sub the with respect
para 1 supra

11 The chairman has reported

that the lowest tender of Sri
Thirupul has been accepted for
the work and the work has been
started. Pending sanction of approval
of Govt to the regular of the Board
for accepting the tender and
request that his action may be
approved

12 The chief Engineer considers that

if ~~first~~ tenders are called for
again, more favorable quotations
may be obtained. He has however
approved the estimate for Rs 30,000 /
In the above cases, it is for
orders whether the tender of Sri
Thirupul may be accepted the work
to be done - being restricted to a
sum of Rs 30,000! or whether

3511

Fence for air flowing to storm water drain
behind Amble Lumber Ponds to clean by
the chamber may be added to

A) Call for fresh tenders

13) for order - net curtains / 16 Supm
furl seg / 2/2/49

these in order)
for Finance & Supply

14) 5/2/49
for 2/2/49

15) furl seg 1/3
2/2/49

CO. OF THE M. & S. CO.
DO 2/2/71
L.C. 3/2/49
Rw 2/3

16) Resubmission

At para 'A' 12 (A) infra

two alternatives are suggested
for consideration

it is for orders which of them
may be accepted

CO. OF THE M. & S. CO.
ICE & F. JUST
3433
D. 10/3/49

17) For orders with refce
to para 15 supra
Rw 7/3
23-49

18) furl seg / 2/2/49

may perhaps be noted by
14/8 12/3 on 9/5/49 &c

9/3

20) D/K reply 3811

16/8/68

21) submitted with a draft letter

ha
16/3
for 16/3/69

issue at once
for
17/3/69

To,

The Chairman
Trust Board

L 10727 & 22/3/69

some orders to call for fresh
tenders

Letter NO D 2 'C 61/68 - 49 & 29/3/69
from the chairman, NYPE c/o
Improvement Trust Board in the
matter

23) The report was received
is submitted with reference to
orders of the master for Insurance
and amounts at from 19 April

24) It is seen from the records

that pending sanction of govt^{Trust}
for the acceptance of ^{the} tender
of the contractor, ^{the} work order
was issued ~~to~~ in this regard.
~~At this respect~~ it is stated
that more than half of the work
has already been executed
and the remaining work is
in progress. Hence, the chairman
says that it is not possible
to stop the work at this stage
and to call for fresh tenders.

~~In this connection, it is
submitted that this is not the
first case~~

25) In this connection, it is
submitted that this is not the
first instance where work
has been taken up by the
Trust without, pending sanction
either to the estimate or to the
acceptance of tenders therefor.

26) In another connection,
the chief Engineer for R&S
has noticed this irregular

and the following is the extract of his remarks at paras 47 and 48 of the notes of the file bearing No 7565/48-49 re the estimate for re-aligning the road in front of the Nithal Talkies in Dyma -

"It is not clear why a work costing Rs 28,000/- and odd was executed without competent sanction or even approval to take up the work in anticipation. At least tenders or quotations could have been called for for fixing up rates before taking up work or distributing work among free workers"

This is not a solitary case, but there are quite a number of ^{instances} ~~cases~~ where work costing tens of thousands was executed in the city improvement Trust Board, Dyma and it is suggested that explanation of officers concerned for non-observance of the usual rules required for execution of work might be called for before grant sanction the estimate. Action in this respect is being taken separately.

27) It is seen from the above remarks of the Chief Engineer that the Dyma Trust Board does not

3881 Tender for improving the storm water drain
behind Noble Mural Paints Chhattri - Dy. M. C.
7556/-


appears to pay any attention to the
prescribed rules in regard to the
execution of works

28/ In the above circumstances
the point for consideration whether
the tender of Sri Shrinipal for
Rs 41,976/- may not be accepted,
the work to be done being restricted

to a sum of Rs 30,000 (cost of the
sanctioned estimate for the
work), as resolved by the

fig R { Board itself at their meeting
held on 7-10-48, subject
to the observation that under
no circumstances, the Board
should take up and execute
works which require sanction
of govt. ^{without the sanction of the govt.} and that the prescribed
rules in regard to the execution
of works should be strictly
adhered to this is for orders
with reference to para 19 supra

4150
12.4.49



11/4
12/4

11/4/49

Minister Finance & Industries
22/4

11/4/49
11/4/49

5833 ~~45-5-6~~ 0 pl
Dray
 Mr 41-48-23 for
spring

A draft- go is put up

ha 29/4
Dr 200-49

gsmefan
 2/5/45

to, the chairman, CST
 Board, by the
 the computer
 the 7th cur was by the inf.
 12821-4 & 4-5-68
 Sanction the proposed
 with certain observat:

3
 ha 11/5-

0 J. H. Lawrence
CHAIRMAN 11/11
10-11

SECRET

131 Acceptance of the lowest tender of Sri Thiruppal for improving storm water drain behind Amble Anniah Pandit's Choultry for Rs 41,976/- against the Estimate amount of Rs 30,000/-

"The tender is accepted. Work may be con-
fined to Rs 30,000/- only which is the amount
granted by Government"

Sd/- P Sitharamaraj,
Chairman

"C O P Y"
 9 March 1961
 CHAIRMAN

MSR



Mysore City Improvement Trust Board **3**

Comparative Statement Showing the tenders received for improving the Storm Water drains & Road Public Ammal Jandito, Coakulay Mysore

No	Particulars	Quantity	Amount of Estimate	Sr. Thangai		Sr. Kodagade		Remark
				Rate	Cost	Rate	Cost	
1	Excavation in S.H. & Soil for widening the drain & putting a draining cover 300	600	(0-8-0) SR ✓ 0-7 0 263 0-0	0 6-0	225 0-0	0 8-0	300 0-0	Subd to MTC
2	Removal of Stacking Rough Stone 154	157	1-0-0 157 0-0 ✓	0-12 0	117-12 0-0	8 0	78-8-0	Churnum the lower quarter of S.H.
3	Larged Stone work with filling plastering 546	182	(3-0-0) SR ✓ 4-0 0 728 0-0	4-6-0	796 40 4-8-0	8-0	88 0-0	Sharnput m
4	Do with old stones	118	1-8 0 177-0 0 ✓	0-12-0	88 2-0-0	0-236	0-0	Runy be affrd to be placed before MTC Divid for Sandhu
5	providing bed of stone water drain with Goddabagan B S Slab 3" x 4" Thick including Cement pointing 22910	40729	(0 9-0) SR ✓ 0 9 0 22910 0-0	0-14 0	356 0-14-0	0-356	37-14-0	9-9
6	Constructing with pattern drain 9' dia with Cement Concrete 124 including							9-9

Total Board
 9-9
 9-9

Total as per current schedule
of Rs 26708/-

- 8. Repairs to existing culverts -
- Removal of Repairing of covering -
- slabs etc, -
- 9. Regrading of bed -
- Miscellaneous works such as -
- Re construction of culverts etc, -
- 10. Temporary siltation chamber -

Total	Rs 26853.00	Rs 38829.10	Rs 40562.60
✓	600.00	600.00	600.00
✓	500.00	500.00	500.00
✓	1727.00	1727.00	1727.00
✓	320.00	320.00	320.00
Grand Total	Rs 30000/-	Rs 41976.10	Rs 43709.60
		44 60/more	51/more

checked & found correct
The tender of Rs 41976.10 is lower than two -

Checked
21/9/48
21/9/48

As per the lowest tender the
excess is Rs 11976.10
for work for item only

End - 1

J. Sitararamiah B A B L
CHAIRMAN

D.O. B2 C 61/4849
My Dear Sir,



CITY IMPROVEMENT TRUST BOARD
MYSORE
Date 10th November 1948



I am enclosing herewith a copy of my letter dated 10/11/48 addressed to the Revenue Secretary regarding

the acceptance of the lowest tender as approved by the Board for the work of improving the main storm water drain behind Amble Anniah Pandit's Choultry for your kind information.

It is my personal experience that many of the Major Schemes and Estimates sanctioned by Government do not reach the actual stage of execution within a reasonable time after the communication of Government sanction to the respective Estimates, on account of abnormal delays involved in the observance of a routine procedure, so much so, adequate progress cannot be secured for such works during the very year of their sanction and this leads to a position indicating a lapse of grants given by Government. To prevent such a contingency atleast this time, I have made arrangements for starting the work under reference by entrusting the same to the approved lowest tenderer pending the communication of formal government sanction to the Board resolution. I request you kindly to approve this action taken by me under the circumstances explained.

*Rev. Secy
Pursued
Ref. 2/11/48*

*Mr. Secy
10/11/48*

Yours sincerely,

O. Sitararamiah
11/11

Sri F. Mariyappa, B A, LL B,
Hon The Minister for Trust Board (HOME)
Public Offices, Bangalore

MSR. *don*

No *D₂ C 61/48 49*

Office of the Chairman
City Improvement Trust Board

Mysore, Dated 10th Nov' 1948

From

P. Sitharamiah Esq B A B L
CHAIRMAN CITY IMPROVEMENT TRUST BOARD
MYSORE

To

Janab. Syed Abdul Aleem, B.A.,
SECRETARY TO THE GOVERNMENT OF
HIS HIGHNESS THE MAHARAJA OF MYSORE
REVENUE DEPARTMENT BANGALORE

Sir

Subject:- Tender for improving the Storm Water Drain
behind Amble Anniah Pandit's Choultry, Mysore.

I have the honour to state that an Estimate for Rs.30,000/- has been sanctioned for the above work in G.O.NO.L.17424-7/Ml. 38-47-79 dated 8/6/48. Tenders were called for and out of the two tenders received, the lowest tender of Sri.Thirupal for Rs.41,976/- has been accepted by the Trust Board in their resolution No.131 dated 7/10/48 with a direction that the work may be confined to only Rs.30,000/- which is the amount granted by Government. A copy of the Trust Board resolution is also enclosed herewith. This is one of the major works sanctioned for the current year and there is amount available also to meet the expenditure. The rates as per the lowest approved tender are reasonable and hence the resolution of the Board for the acceptance of the lowest tender of Sri.Thirupal may kindly be got sanctioned early and the same communicated to this Office.

With a view to push through this work expeditiously, and as the major part of this work involves the collection of a large quantity of stone slabs which are not easily available locally, arrangements have been made for starting the work straight-away pending Government approval to the Board resolution for the acceptance of the lowest tender. Action taken may also be kindly approved.

MSR.

Yours faithfully,

Sd/- P Sitharamaiah,
CHAIRMAN.

o p y "

P. Sitharamiah

CHAIRMAN

No D2 C 61/48-49

5833/27 6
Office of the Chairman,
City Improvement Trust Board,

Mysore, Dated 21st Jan. 1949

From Sri P. Subramiah Esq. B A B L
CHAIRMAN CITY IMPROVEMENT TRUST BOARD
MYSORE
To Janab Mir Safdar Hussain, B A.,
SECRETARY TO THE GOVERNMENT OF
HIS HIGHNESS THE MAHARAJA OF MYSORE
Genl. ~~REVENUE~~ DEPARTMENT BANGALORE

Sir,
Subject - Tender for improving storm water drain
behind Amble Anniah Pandit's Choultry,
Mysore

28/1

In continuation of this office letter No D2 C 61/48-49 dated 13th November 1948 on the above subject, I have the honour to inform you that in view of the urgency of the work and the necessity to have it completed before the commencement of the rainy season, the work order has been issued to the lowest tenderer. This may kindly be approved under the circumstances explained above.

Further, I request ^{that} the lowest tender of Sri Thirupal may kindly be got sanctioned early and the same communicated to this office.

HRS

3811/3881
Yours faithfully,
J. Venkata Ramana
Chairman.
27/1

N B — Should routine notes be written on small slips
the notes must be copied or slips pasted on this form

replied by
C. Venkata
for 27/1/49

Routine Notes

[To be used only for notes, requisitions, etc, not intended for permanent record]

alts

- 1) This office bearing D no
3881/48-49 has been
sent to the chief engineer
with unofficial note no 132
on 15/12/48 its return

is awaited

hwa

Pr 23-2-49

2

N B — Should routine notes be written on small slips,
the notes must be copied or slips pasted on this form

2) Pl move and do letter check
pl verify in the rough
register if it has not
come back from supply

5833/ml

C F 74]

WD 03286—GPB—25 000—1-6-45

Routine Notes

[To be used only for notes, requisitions etc not intended for permanent record]

3) submitted with a draft so
removed, as the file is not
received - Jefferson supra
ha 27/2 Issue
Pr 28-12-45

G R S App F G 3

GENERAL AND REVENUE
SECRETARIAT

(Continuation sheet draft form)

✓ 10727 | Mh 41-48-49⁸
- To, 22/3/49

The Chairman,

C S T Road,

Myne

Sir,

with reference to
your letter no D 2 C
61/48-49 & 10/4-11-48
re accepting the
tender of Mr. Shripal
for Rs 41,976/- for
masonry the storm
water drain behind
Anble Anandh Pandit's
charity, Myne, I am
directed to request you
to call for fresh
tenders for this work,
as the ^{rates were} ~~tenders were~~
~~for~~ tenders are
very high

Yours faithfully
for
Pr 163129

md. 41-48-92


No D2 C 61/48-19

Office of the Chairman,
City Improvement Trust Board

Mysore, Dated 28th March 1949

From SRI T. VENKATA RAJANIAN,
P. S. Sivasubramanian Esq B.A. B.L.
CHAIRMAN CITY IMPROVEMENT TRUST BOARD
MYSORE

To Janab Mir Safdar Hussain, B.A.,
SECRETARY TO THE GOVERNMENT OF
HIS HIGHNESS THE MAHARAJA OF MYSORE
Genl. REVENUE DEPARTMENT BANGALORE



Accepting the tender of Sri Thirupal for Rs 41,976/-
for improving the storm water drain behind Amble
Anniah Pardit's Coultury,
Mysore

With reference to your letter No L 10727/ML 41-48-49 dated 22nd March 1949 on the above subject, I have the honour to state that an estimate for Rs 37,000/- was prepared in this office and the same has been ~~examined~~ scrutinized to Rs 30,000/- by the Chief Engineer for Roads and Buildings. This was due to the reduction of rates for stone slabs paving and revetment. The rates were cut down to less than the minimum of the Schedule of 1947-48.

Tenders were called for on 16th August 1948 and the approval of the board obtained on 7th October 1948 and the ~~lowest~~ tender was submitted to Government for approval on 13th November 1948. This was followed by a DO to the Minister on the same date that the work order was issued to the lowest tender pending sanction of the Government. The work is more than half way and practically all the materials have been collected on the spot and Rs 8,000/- paid on finished work. A reminder to convey approval to the action taken was also issued in this office No D2 61/48-19 dated 27th January 1949. Under all these circumstances, it is not possible to stop the work at this stage and to call for fresh tenders. Hence early approval of the tender is requested.

Yours faithfully,

T. Venkatarajan

Chairman
Genl.

ERS/2

G R S App F VI—G 2]
SUBJECT

5/11/48

Diary No of letter replied to

General and Revenue Secretariat

()
the 194

Date of issue 4 5 1949

Signed by *Er G. N. S.*

May this be—

- (i) printed ?
- (ii) treated as a standing order ?
- (iii) published in the Gazette
English Part ?
- (iv) translated ?
- (v) placed at the disposal of the press ?
- (vi) published in the Gazette
Kannada Part ?

Section *mk*
File No *41-48*
Serial No *93*

Proceedings of the Government of
His Highness the Maharaja of Mysore

Read— *go No L 17 4 24-7/48*
38-47-79
8-6-48 Sanctioning
an estimate for Rs 30,000
for improving the storm
water drain behind the
Amble Anniah parents
charity, Mysore city
Order thereon—No

2) *correspondence*
ending with letter No D2 c
61/48-49 & 29-3-49
from the chairman, C.S.
Board Mysore, requesting
sanction to the
acceptance of the

tender of ^{Shri} Thiruppal for
Rs 41, 976/- for the work
referred to in the govt order above
and adding that the work
order was issued to the lowest-
tenderer and ^{the same} is being executed

3) un-official note no 31121-2-49
from the chief engineer for Roor
in the matter
order no 12521-4/42 41-48-93
41-51-49

Sanction is accorded to the acceptance of the tender of Rs 41,976/-, the work, in this behalf being restricted to a sum of Rs 30,000, being the cost of the sanctioned estimate.

It is observed in this connection that, under no circumstance the Board should take up and execute works which require sanction of Govt without obtaining prior sanction and that the prescribed rules in regard to the execution of works should be strictly adhered to.

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OF MYSORE

Read:-

Government Order No.L.17424-7/IL.38-47-79 dated 8th June 1948 sanctioning an estimate for Rs.30,000/- for improving the storm water drain behind the Amble Anniah Pandit's Choultry, Mysore City.


2. Correspondence ending with letter No.D2.C.61/48-49 dated 29th March 1949 from the Chairman, City Improvement Trust Board, Mysore, requesting sanction to the acceptance of the lowest tender of Sri.Thirupal for Rs.41,976/- for the work referred to in the Government Order read above and adding that the work order was issued to the lowest tenderer and the same is being executed.

3. Un-official note No.311 dated 1st February 1949 from the Chief Engineer for Roads and Buildings in the matter.

ORDER NO.L. 12821-4 / *IL* 41-48-93
Dated, Bangalore, the 4-5-49

Sanction is accorded to the acceptance of the tender of Sri.Thirupal for Rs.41,976/-, the work to be done in this ~~matter~~ behalf being restricted to a sum of Rs.30,000/-, being the cost of the sanctioned estimate.

It is observed in this connection that, under no circumstances, the Board should take up and execute works which require sanction of Government without obtaining prior sanction and that the prescribed rules in regard to the execution of works should be strictly adhered to.


For Secretary to Government,
General Department.

To

The Chairman, City Improvement Trust Board, Mysore.
" Comptroller to Government.
" Municipal Commissioner, Mysore, City (through the President)
" Chief Engineer for Roads and Buildings.

©